PERMIT APPLICATION

YANKEE GULCH; LOGAN WASH FIELD
AMERICAN SODA - GETTY 1-7LW
CO10932-04664 CO-04664

JOHN C. KEPHART & CO.
GRAND JUNCTION LABORATORIES
433 NORTH AVENUE • PHONE 242-7618 • GRAND JUNCTION, COLORADO 81501

ANALYTICAL REPORT

Received from: Coors Energy

Customer No. _____ Laboratory No. 1773-4 Sample Water

Date Received 4/20/83 Date Reported 4/20/83

Sample	Hill 3X3	Kuehn 15-17
pH	7.6	7.6
Conductivity@25°C	32,000 umhos/cm	41,600 umhos/cm
Resistivity@25°C	0.313 ohms/m	0.240 ohms/m
Dissolved Solids	19,500 mg/L	25,790 mg/L
Sodium(Na)	5770 mg/L	8460 mg/L
Calcium(Ca)	219 "	216 "
Magnesium(Mg)	49.73 "	64.10 "
Potassium(K)	129 "	119 "
Chloride(Cl)	10,200 mg/L	15,880 mg/L
Sulfate(SO_4)	19.5 "	18.0 "
Phenol Alkalinity($CaCO_3$)	0.000 mg/L	0.000 mg/L
Total Alkalinity($CaCO_3$)	256 "	1519 "

Hill 3X3
1177 FSL, 1485 FEL
Section 3, T10S, R95W
Cozzette/ Corcoran Formation

Kuehn 15-17
Chandler and Associates
661 FSL, 1980 FEL
Section 17, T10S, R96W
Cozzette Formation

National Cementers Division Laboratory

National Cementers Corporation

No. W-GJ-71-82

To: Northern Natural Gas Co.

508 Fruitvale Court, Suite A

Grand Junction, CO 81501

Date May 27, 1982

We give below results of our examination of the submitted water sample.

Coors Energy

Submitted by Dana Cryder

Marked USA #1-16; Sheep Creek; Cozette-Corcoran Formation

Resistivity:	0.070 ohm meters
Temperature:	73.6°F.
Specific Gravity:	1.090
pH:	7.06
Total Dissolved Solids:	130,500 parts per million*
Chlorides (Cl):	77,605 parts per million*

*Indicates parts per million by weight; uncorrected for Specific Gravi

Respectfully Submitted,
National Cementers Corporation

Laboratory Analyst

Mary Dolberg

By Thomas Eapen

Thomas Eapen

JOHN C. KEPHART & CO.
GRAND JUNCTION LABORATORIES
433 NORTH AVENUE • PHONE 242-7618 • GRAND JUNCTION, COLORADO 81501

ANALYTICAL REPORT

Received from: Coors Energy

Customer No. _____ Laboratory No. 1773-4 Sample Water

Date Received 4/20/83 Date Reported 4/20/83

Sample	Hill 3X3	Kuehn 15-17
pH	7.6	7.6
Conductivity@25°C	32,000 umhos/cm	41,600 umhos/cm
Resistivity@25°C	0.313 ohms/m	0.240 ohms/m
Dissolved Solids	19,500 mg/L	25,790 mg/L
Sodium(Na)	5770 mg/L	8460 mg/L
Calcium(Ca)	219 "	216 "
Magnesium(Mg)	49.73 "	64.10 "
Potassium(K)	129 "	119 "
Chloride(Cl)	10,200 mg/L	15,880 mg/L
Sulfate(SO_4)	19.5 "	18.0 "
Phenol Alkalinity($CaCO_3$)	0.000 mg/L	0.000 mg/L
Total Alkalinity($CaCO_3$)	256 "	1519 "

Hill 3X3
1177 FSL, 1485 FEL
Section 3, T10S, R95W
Cozzette/ Corcoran Formation

Kuehn 15-17
Chandler and Associates
661 FSL, 1980 FEL
Section 17, T10S, R96W
Cozzette Formation

JOHN C. KEPHART & CO.
GRAND JUNCTION LABORATORIES
433 NORTH AVENUE • PHONE 242-7618 • GRAND JUNCTION, COLORADO 81501

ANALYTICAL REPORT

Received from: Coors Energy

Customer No. _____ Laboratory No. 1773-4 Sample Water

Date Received 4/20/83 Date Reported 4/20/83

Sample	Hill 3X3	Kuehn 15-17
pH	7.6	7.6
Conductivity@25°C	32,000 umhos/cm	41,600 umhos/cm
Resistivity@25°C	0.313 ohms/m	0.240 ohms/m
Dissolved Solids	19,500 mg/L	25,790 mg/L
Sodium(Na)	5770 mg/L	8460 mg/L
Calcium(Ca)	219 "	216 "
Magnesium(Mg)	49.73 "	64.10 "
Potassium(K)	129 "	119 "
Chloride(Cl)	10,200 mg/L	15,880 mg/L
Sulfate(SO_4)	19.5 "	18.0 "
Phenol Alkalinity($CaCO_3$)	0.000 mg/L	0.000 mg/L
Total Alkalinity($CaCO_3$)	256 "	1519 "

Hill 3X3
1177 FSL, 1485 FEL
Section 3, T10S, R95W
Cozzette/ Corcoran Formation

Kuehn 15-17
Chandler and Associates
661 FSL, 1980 FEL
Section 17, T10S, R96W
Cozzette Formation

National Cementers Division Laboratory

National Cementers Corporation

No. W-GJ-71-82

To: Northern Natural Gas Co.

508 Fruitvale Court, Suite A

Grand Junction, CO 81501

Date May 27, 1982

We give below results of our examination of the submitted water sample.

Coors Energy

Submitted by Dana Cryder

Marked USA #1-16; Sheep Creek; Cozette-Corcoran Formation

Resistivity:	0.070 ohm meters
Temperature:	73.6°F.
Specific Gravity:	1.090
pH:	7.06
Total Dissolved Solids:	130,500 parts per million*
Chlorides (Cl):	77,605 parts per million*

*Indicates parts per million by weight; uncorrected for Specific Gravi

Respectfully Submitted,
National Cementers Corporation

Laboratory Analyst

Mary Dolberg

By Thomas Eapen

Thomas Eapen

JOHN C. KEPHART & CO.
GRAND JUNCTION LABORATORIES
433 NORTH AVENUE • PHONE 242-7618 • GRAND JUNCTION, COLORADO 81501

ANALYTICAL REPORT

Received from: Coors Energy

Customer No. _____ Laboratory No. 1773-4 Sample Water

Date Received 4/20/83 Date Reported 4/20/83

Sample	Hill 3X3	Kuehn 15-17
pH	7.6	7.6
Conductivity@25°C	32,000 umhos/cm	41,600 umhos/cm
Resistivity@25°C	0.313 ohms/m	0.240 ohms/m
Dissolved Solids	19,500 mg/L	25,790 mg/L
Sodium(Na)	5770 mg/L	8460 mg/L
Calcium(Ca)	219 "	216 "
Magnesium(Mg)	49.73 "	64.10 "
Potassium(K)	129 "	119 "
Chloride(Cl)	10,200 mg/L	15,880 mg/L
Sulfate(SO_4)	19.5 "	18.0 "
Phenol Alkalinity($CaCO_3$)	0.000 mg/L	0.000 mg/L
Total Alkalinity($CaCO_3$)	256 "	1519 "

Hill 3X3
1177 FSL, 1485 FEL
Section 3, T10S, R95W
Cozzette/ Corcoran Formation

Kuehn 15-17
Chandler and Associates
661 FSL, 1980 FEL
Section 17, T10S, R96W
Cozzette Formation

National Cementers Division Laboratory

National Cementers Corporation

No. W-GJ-71-82

To: Northern Natural Gas Co.

508 Fruitvale Court, Suite A

Grand Junction, CO 81501

Date May 27, 1982

We give below results of our examination of the submitted water sample.

Coors Energy

Submitted by Dana Cryder

Marked USA #1-16; Sheep Creek; Cozette-Corcoran Formation

Resistivity:	0.070 ohm meters
Temperature:	73.6°F.
Specific Gravity:	1.090
pH:	7.06
Total Dissolved Solids:	130,500 parts per million*
Chlorides (Cl):	77,605 parts per million*

*Indicates parts per million by weight; uncorrected for Specific Gravi

Respectfully Submitted,
National Cementers Corporation

Laboratory Analyst

Mary Dolberg

By Thomas Eapen

Thomas Eapen